

Description

Images

Multimedia DVD Or MP3 Or SD Receiver with built in screen 6.5 KW-AVX706

- . Power Output: 50W x 4 Max. (MOS-FET)
- . 7 Band iEQ
- . Headphone Surround
- . Rear View Camera Ready
- . Ready for iPod
- . 5.1 Channel DTS/Dolby
- . Digital/Dolby Pro Logic II/MPEG Audio
- . Gold plated AV Output Terminals
- . AV-BUS Input
- . Motorised Slide-Out Face
- . Dual Zone
- . jpg Playback
- . SD Slot

STEREO DPX MP2090U

AAC/WMA/MP3/CD Receiver with FM/AM Tuner and USB Port.

- * 50w x 4(MOS-FET) +24 bit B.B. DAC.
- * Fixed Panel.
- * SystemQ-ex/System Es + (Built-in-HPF and LPF)/Dual Zone Control.
- * 2 Preouts + AUX in + TEL MUTE.
- * USB Port-2.0 Verson.
- * iPod Interface(with KCA-IP500)



STEREO MNDVD 870

DVD/MP3/CD Receiver with FM/AM Tuner.

- * 4 Channel High Power Output (50 W * 4 Ch)
- * Face Flip Down and Full Detachable for Anti theft.
- * Black Masked Multi-Color Graphics Display.
- * MP3 Playback(WMA/ID3 Tag).
- * Conventional CD/CD-R/RW playable.



DVD Player KD-DV6206

- . Power Output: 50W x 4 Max.
- . Subwoofer Output with Level / Frequency Control
- . Rotary Encoder Volume Control
- . Ready For iPod
- . Frontal AUX-in
- . Multi Colour Display
- . Dual Zone
- . MOS-FET Amp
- . 2PairPreout
- . 7-Band Graphic EQ
- . 24-bit DAC

2 DIN CD Or MP3 PLAYER DPX MP2100

Fixed Face Plate
MP3/WMA Files Playback with ID-3 Tag
Display
Rotary Encoder and Job Control Knob for Easy
Operation
14 Segment FL Display (8 Digits, Scroll
ON/OFF possible)
Supplied with Remote Control Unit with Audio
Control and 10-Keys (RC557)
Display OFF Mode Function
Digital Clock
Maximum Output Power: 50W X 4 (MOSFET
Power IC)
2 Pre-Out, Subwoofer Level and Low Pass
Filter Adjustable
System Q-EX: Preset and Full Manual Sound
Control
Front AUX Input
Dual External Media Control Capability (with
optional KCA-S210A)
Optional Apple iPod Interface Ready (KCA-
iP500)
Bluetooth Hands Free Ready with optional
Interface Unit (KCA-BT100)



DVD PLAYER MEX DV 1100

S-MOSFET Output Power: 52W x 4

- . Pre Out: Rear
- .4V High Voltage Pre Out
- .Frontal Aux-in
- . 1 x Video Output (Front)
- .1 x Mic in
- .Preset FM18/AM12
- .RM-X167 Wireless Card Commander (Included)
- . Aux-In Lite

INTERGRATED AUDIO SET SWIFT

- . Mp3/wma/cd receiver with fm/am tuner
- . illumination - orange
- . cd-r/rw play back
- . 4 channel high power out put (45wx4 ch.)
- . 24 station memory capability (18 fm and 06 am)



Dual Din MP3 Player with Aux in KW-XG506

- . Power Output: 50W x 4 Max.
- . MP3/WMA Compatible with ID3/WMA Tag
- . Subwoofer Output with Level / Frequency Control
- . Rotary Encoder Volume Control
- . Ready For iPod
- . Frontal AUX-in
- . MOS-FET
- . 1 Pair Preout
- . Spectrum Analyzer
- . 3-Band Graphic EQ
- . 24-bit DAC

VCD Player KD-SV3305

- . Power Output: 50W x 4 Max.
- . MP3/WMA Compatible with ID3/WMA Tag
- . Subwoofer Output with Level / Frequency Control
- . Rotary Encoder Volume Control
- . Ready For iPod
- . Frontal AUX-in
- . MOS-FET
- . 1 Pair Preout
- . Spectrum Analyzer
- . 3-Band Graphic EQ
- . 24-bit DAC. Power Output: 50W x 4 Max.
- . VCD/MP3/CD Receiver
- . Subwoofer Output with Level / Frequency Control
- . Rotary Encoder Volume Control
- . Ready For iPod
- . CD Changer Ready
- . MOS-FET Amp
- . 1 Pair Preout
- . 5 EQ Preset. 24-bit DAC

MP3 Player with USB Port KD-G645

- . Power Output: 50W x 4 Max.
- . Front USB Port (MP3 / WMA)
- . Subwoofer Output with Level / Frequency Control
- . Rotary Encoder Volume Control
- . Frontal AUX-in
- . MOS-FET Amp
- . Preout (Front / Rear or Subwoofer)
- . 3-Band Graphic EQ
- . 24-bit DAC

MP3 Player with flip and Aux in KD-G535

- . Flip Down MP3/CD Receiver

- . Power Output: 50W x 4 Max.
- . Subwoofer Output with Level/Frequency Control
- . Rotary Encoder Volume Control
- . Ready For iPod
- . CD Changer Ready
- . Frontal AUX-in
- . Multi-Colour Display
- . MOS-FET Amp
- . 1 Pair Preout
- . 3-Band Graphic EQ
- . 24-bit DAC

MP3 PLAYER,MANUAL FLIP CDX GT570

Flip Down CD/MP3/WMA Player.

- .S-MOSFET Output Power: 52W x 4
- . 24 bit DAC
- .Pre Out x 2
- .RM X151 Wireless Card Commander (Incl.)
- .RM X4S Wired Rotary Commander (Opt.)
- .FM18/MW6/SW12
- .Frontal Aux-In



CD Or MP3 PLAYER KDC MP3036AX

- Theft Deterrent Face Plate
- MP3/WMA Files Playback with ID-3 Tag Display
- 14 Segment FL Display (8 Digits, Scroll ON/OFF possible)
- Rotary Encoder and Jog Knob Control for Easy operation
- Supplied with Remote Control Unit (Audio Control with 10-Keys)
- Digital Clock (24 H)
- Maximum Output Power : 50W X 4, 1 Preout
- Separate Bass/Mid Range/Treble Control and Source Tone Memory
- AUX Input (Front)
- System Q : Sound Control with Pre-



Programmed Tone Curves
Bass Boost
Subwoofer Levels and Low Pass Filter
Adjustable
FM/AM 24 Station Presets (18 FM and 06 AM)
AME (Automatic Memory Entry)

CD Or MP3 PLAYER KDC MP3036

Theft Deterrent Face Plate
MP3/WMA Files Playback with ID-3 Tag
Display
14 Segment FL Display (8 Digits, Scroll
ON/OFF possible)
Rotary Encoder and Jog Knob Control for Easy
operation
Supplied with Remote Control Unit (Audio
Control with 10-Keys)
Digital Clock (24 H)
Maximum Output Power: 50W X 4, 1 Preout
Separate Bass/Mid Range/Treble Control and
Source Tone Memory System Q :
Sound Control with Pre-Programmed Tone
Curves
Bass Boost
Subwoofer Levels and Low Pass Filter
Adjustable
FM/AM 24 Station Presets (18 FM and 06 AM)
AME (Automatic Memory Entry)



MP3 Player with Frontal Aux In KD-G396

- . Power Output: 50W x 4 Max
- . MP3/WMA Compatible with ID3/WMA Tag
- . CD-R/RW Compatible
- . Frontal AUX-in
- . Subwoofer Output with Level/Frequency Control
- . Rotary Encoder Volume Control
- . 1 Pair Preout
- . MOS-FET Amp

- . 3-Band Graphic EQ
- . 18FM and 6AM Presets
- . 24-bit DAC

MP3 PLAYER,RETRACTABLE CDX GT270S



MP3 Player KD-G336

- . Power Output: 50W x 4 Max.
- . MP3/WMA Compatible with ID3/WMA Tag
- . CD-R/RW Compatible
- . Subwoofer Output with Level/Frequency Control
- . Rotary Encoder Volume Control
- . 1 Pair Preout
- . 3-Band Graphic EQ
- . 18FM and 6AM Presets
- . 24-bit DAC

Speaker, 3way 6X9, 290W CS-V6934

- . 280W Max.Music Power
- . Strontium Magnet (Woofer)
- . Heat Resistant Voice Coil
- . Poly-Ether Imide Cone
- . Poly-Ether Imide Dome
- . Aramid Composite Olefin
- . Butyl Rubber Edge



Speaker Set,6 KFC 1656NM4 rear

- . 6 Round Dual Cone Speaker
- . 160 mm Pearl Mica Injection-molded P.P cone
- . Peak Power 130 W
- . Mounting depth : 44 mm
- . Width : 157.7 mm



. Height : 157.7 mm

Speaker Set,6 KFC 1656NM4 front

- . 6 Round Dual Cone Speaker
- . 160 mm Pearl Mica Injection-molded P.P cone
- . Peak Power 130 W
- . Mounting depth : 44 mm
- . Width : 157.7 mm
- . Height : 157.7 mm



Speaker, 2way 6 and quot;, 210W CS-V624

- . Mp3/wma/cd receiver with fm/am tuner
- . illumination - orange
- . cd-r/rw play back
- . 4 channel high power out put (45wx4 ch.)
- . 24 station memory capability (18 fm and 06 am)



Speaker Set,6 MNFC 1601 rear

6" (160 mm) waterproof dual cone speakers having a peak power of 80 watts and an impedance of 4 ohms



Speaker Set,6 MNFC 1601 front

6" (160 mm) waterproof dual cone speakers having a peak power of 80 watts and an impedance of 4 ohms



SPEAKER 4 XS GM 1020

WOOFER

- . 10cm, Polypropylene Cone TWEETER 2.8



cm, PET, Dome type FEATURES

- . Peak Power: 20 W
- . Frequency Response (45-22,000 Hz)
- . Sensitivity: 88 dB/W/m

Speaker, 2way 4, 160W CS-V425

- . 160W Max./20W Nom. Music Power
- . Strontium Magnet (Woofer)
- . Heat Resistant Voice Coil
- . Aramid Composite Olefin
- . Thin Butyl Rubber Edge Neodymium Magnet (Tweeter)
- . Poly-Ether Imide Balanced



Speaker, Dual Cone 4, 100W CS-V414

- . 100W Max. Music Power
- . Strontium Magnet (Woofer)
- . Heat Resistant Voice Coil
- . Aramid Composite Olefin
- . Butyl Rubber Edge